

| Ref # | Hits | Search Query                               | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| S2    | 49   | classmark adj information                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 18:32 |
| S3    | 12   | request with classmark adj information     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 15:53 |
| S5    | 11   | GPRS and classmark adj information         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 16:24 |
| S7    | 4    | radio adj access adj capacity              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/06 15:00 |
| S8    | 11   | GPRS and access adj capacity               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 16:34 |
| S9    | 59   | classmark near2 information                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 19:17 |
| S10   | 27   | packet adj uplink adj ack/nack adj message | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/05 19:18 |
| S13   | 21   | maximum near3 bit adj rate with (enter\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/06 13:02 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S15 | 53  | maximum near3 bit adj rate with table                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/06 13:42 |
| S19 | 13  | GPRS and classmark near2 information                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/06 17:48 |
| S29 | 22  | 370/254.ccls. and GPRS  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/06 18:07 |
| S31 | 32  | uplink near3 manage\$4 and GPRS                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/06 18:27 |
| S35 | 33  | packet adj uplink adj ack/nack                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 11:17 |
| S36 | 19  | packet adj uplink adj ack/nack and packet adj uplink adj assignment | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 11:41 |
| S40 | 9   | packet adj uplink adj assignment with field                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 11:42 |
| S44 | 208 | 370/328.ccls. and GPRS  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:13 |

|     |     |                        |   |    |    |                  |
|-----|-----|------------------------|---|----|----|------------------|
| S45 | 70  | 370/335.ccls. and GPRS | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:14 |
| S46 | 169 | 370/329.ccls. and GPRS | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:14 |
| S47 | 16  | 370/477.ccls. and GPRS | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:14 |